

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	matthew near englehart.in.	US-PGPUB; USPAT	OR	ON	2009/11/11 09:55
L2	18	peter near szpak.in.	US-PGPUB; USPAT	OR	ON	2009/11/11 09:55
L3	266	mathworks.as.	US-PGPUB; USPAT	OR	ON	2009/11/11 09:55
L4	28	L3 and (graphic\$4 and interface and parameter). clm.	US-PGPUB; USPAT	OR	ON	2009/11/11 09:55
L5	108	("5708828" "4924378" "5748877" "5892510" "5946278" "4477874" "4506330" "5295059" "5297247" "5499318" "5576981" "5577239" "5680537" "5740427" "5938766" "5950192" "5969283" "6016400" "6023565" "6065021" "6069563" "6118938" "6121964" "6192368" "6211909" "6211909" "6232539" "6292830" "6453329" "6466973" "20020188928" "20030074235" "20040078236" "20050091255" "20050195678" "20050203950" "20050262271" "5590331" "6038565" "6067524" "6199070" "6246994" "4268950" "4272303" "4277827" "4290184" "4294001" "4315451" "4336647" "4342099").pn.	US-PGPUB; USPAT; USOOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L6	603	717/109.cds.	US-PGPUB; USPAT; USOOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55

L7	966	717/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L8	903	L6 or L7 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L9	571	L8 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L10	308	L9 and (source adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L11	353	L9 and (code near (generat \$4 or develop\$4 or creat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L12	279	L11 and view	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L13	2	L10 and (storage adj class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L14	277	L12 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L15	197	L14 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @riad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55

L16	162683	"graphical user interface" or gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L17	176	L16 and parameter and "storage class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L18	176	L17 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L19	13	("4695833" "5432903" "5485601" "5495567" "5603034" "5664180" "5668966" "5696975" "5760788" "5923885" "5946693" "5966532" "5974256").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/11 09:55
L20	129	L18 and (@pd< "20031031" or @ad< "20031031" or @prad< "20031031" or @riad< "20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L21	2	"5732277".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L22	2	"6366300".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L23	58	parameter with (pragma or "non-portable directive")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L24	34	L23 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55

L25	188	(pragma or directive) with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L26	75	L25 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L27	9	(US-20030074235-\$ or US-20040255269-\$ or US-20040230945-\$ or US-20040111696-\$ or US-20020010908-\$).did. or (US-5892510-\$ or US-6701513-\$ or US-6684385-\$ or US-6421822-\$ or US-6053951-\$ or US-5481712-\$ or US-5187788-\$ or US-5966532-\$ or US-5933642-\$).did.	US-PGPUB; USPAT	OR	ON	2009/11/11 09:55
L28	1	L27 and (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L29	124	(header adj file) with (code near (generat\$4 or creat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L30	79	L29 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L31	67	L30 and (@pd< "20031031" or @ad< "20031031" or @prad< "20031031" or @rlad< "20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L32	1250	(pragma or directive) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55

L33	286	L32 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L34	2	L27 and (header adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L35	28	"non-displayed" with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L36	252	(header adj file) same (code near (generat\$4 or creat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L37	2	L33 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L38	313	pragma with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L39	15	L38 and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L40	1083	parameter with (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L41	355	L40 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55

L42	163	L41 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L43	0	"non-portable directive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L44	101	L42 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @riad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L45	28	(non-displayed or "not display") with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L46	4549	(non-displayed or hidden or phantom) with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L47	517	L46 and token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L48	57	L47 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L49	127	pragma near directive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L50	119	L49 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55

L51	99	L50 and (data with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L52	61	L51 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L53	152	L47 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L54	110	L53 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L55	70	L50 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L56	73	L49 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L57	21	pragma with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L58	65	L26 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L59	585	(L6 or L7) and @pd>="20070305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55

L60	3	L3 and (storage near class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L61	11	("20020174417" "20030016206" "20040031015" "5978581" "6023578" "6199195" "6212672" "6321374" "6609130" "6651240").PN. OR ("7367012").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/11 09:55
L62	5	"custom storage class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L63	17	tlc near file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L64	31	(custom near instruction) near3 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L65	603	717/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L66	966	717/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L67	489	(L65 or L66) and @pd> = "20070813"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L68	310	L67 and model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55

L69	337	(L65 or L66) and @pd> = "20080529"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L70	211	L69 and model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L71	193	(L65 or L66) and @pd> = "20090109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L72	134	L71 and model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L73	91	L72 and (generat\$4 near3 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 09:55
L74	80	(L65 or L66) and @pd> = "20090625"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:00
L75	56	74 and model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:00
L76	1362	717/104,105.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:08
L77	730	76 and (code near3 (generat \$4 or develop\$4 or creat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:08

L78	104	77 and (graphic\$4 near model\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:08
L79	45	78 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @riad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:09
L80	15	(L65 or L66 or L76) and (storage near class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:13
L81	2	(L65 or L66 or L76) and (custom\$4 near storage near class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:14
L82	2396	717/106-109.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:14
L83	20	82 and (storage near class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:14
L84	2	82 and (custom\$4 near storage near class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:16
L86	900	717/110-113.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:51
L87	6	86 and (storage near class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:51

L88	0	86 and (custom\$4 near storage near class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 10:53
-----	---	---	---	----	----	---------------------

11/ 11/ 2009 10:56:38 AM**C:\Documents and Settings\qchen\My Documents\ EAST\ Workspaces\ docket\ 10698820.wsp**